



367.40282X00

PAT 00017 US

SUBSTITUTE SPECIFICATION**APPARATUS AND METHODS FOR A CLIENT SERVER SYSTEM**~~Background of the Invention~~BACKGROUND OF THE INVENTION

**[0001]**\_\_\_\_\_The present invention relates broadly to the fields of mobile phones and network technology, for example the Internet. The invention in addition extends to areas concerned with effecting transactions and e-commerce. More particularly, the present invention relates to client-server systems and the downloading of content for a portable radio communication device such as a mobile phone and services therefor. Linked to this, the present invention is concerned with systems, methods and apparatus for enabling the provision of content onto a portable radio communication device such as a mobile phone. In this context, the present invention additionally concerns the various parties/interests that enable and use such content. One such party is the provider of content, either directly through designing the content, or indirectly by acquiring the content. Such party is herein termed the content provider. Next, there is a party that makes the content available for use by others, in particular for use for instance on a mobile phone. Such party may be a mobile phone manufacturer, operator or distributor and herein is termed the content enabler. Then there is the user of the content who herein is termed the end user.

~~Summary of the Invention~~SUMMARY OF THE INVENTION

**[0002]** Against this background, the present invention, in one aspect, resides in a system for downloading content onto a handheld electronic device having a transceiver, the system comprising:

- a server for storing said content and for making said content available for downloading therefrom, said content being made available to a first party by a second party,
- monitoring means for monitoring the downloading of said content from said server to provide at least one parameter indicative of the number of downloads of said content.

**[0003]** The term content, in this context, broadly encompasses any form of data that is made available on a portable radio communication device and designed to engage an end user, for example media information, stock prices, weather reports, electronic games, e-commerce, as well as image related data which can be graphical or video and music and audio data.

**[0004]** In a specific implementation of the present invention, content comprises electronic game data. In this context, the invention provides for original games content, adaptation data, and adapted games content. Original games content comprises the game software required to characterise and allow play of the game in its original version. Thus original games content defines the look and feel of the game. A daptation data comprise software defining for example additional levels of the original game, or further characters, or replenishments for the game. Adapted games content comprises the original game modified by the adaptation data.

**[0005]** Accordingly, in a preferred embodiment of the present invention, original content is provided for storage on and use by a mobile phone by a content provider, and adaptation data for adapting the original content stored

on a mobile phone is provided by the content provider and is made available for downloading onto the mobile phone from a server, wherein monitoring and accounting means monitor the downloading of the adaptation data from the server for computing a payment to be made to the content provider wherein the content provider is remunerated for the original content and the adaptation data substantially by said computed payments.

**[0006]** Other aspects and features of the invention are defined in the appended claims.

**[0007]** By means of the invention, content may be downloaded from a server to a portable radio communication device and a computation is performed of the payment to be made ~~in~~with respect ~~of~~to the content (by the first party to the second party). It will be appreciated that in accordance with the invention, there is a transformation of data.

**[0008]** Embodiments of the present invention allow a measure of the popularity of content. For those users that do use the content, the present invention, in at least its preferred embodiments, allows the user to download new forms of the content (e.g. a new level or variation of the game) from a server of the mobile phone manufacturer. Since this downloading can be logged, the mobile phone manufacturer is able to make a payment to the content (e.g. game) provider ~~in~~with respect ~~of~~to the downloaded content, ~~whilst~~while being able to maintain control of game releases. In addition, the invention enables games designers to produce content for the mobile phone platform.

**[0009]** In this way, the content provider continues to design and develop more challenging and innovative versions of the game (~~e.g.~~for example, in-game data, levels, etc), ~~whilst~~while the user will continue to remain interested and engaged. Furthermore, the mobile phone

manufacturer benefits in increased traffic and stimulating content for mobile phone manufacturer's internet site.

#### Brief Description of the Drawings

##### BRIEF DESCRIPTION OF THE DRAWINGS

**[0010]** In order to aid a better understanding of the present invention, various embodiments of the invention will now be described. These should not be construed as necessarily limiting the invention but merely as examples of specific ways of putting the invention into effect. In particular, the invention will be described with reference to the accompanying drawings in which:

**[0011]** ~~Figure Fig. 1~~ is a block diagram of a system in accordance with a preferred arrangement of the present invention;

**[0012]** ~~Figure Fig. 2~~ is a schematic of client-server system in accordance with the system of ~~Figure Fig. 1~~;

**[0013]** ~~Figure Fig. 3~~ is a block diagram illustrating selected functional aspects of the client server system of ~~Figure Fig. 2~~; and

**[0014]** ~~Figure Fig. 4~~ is a flow chart outlining a preferred way of effecting downloading of content in the client-server system of ~~Figure Figs. 2 and 3~~.

#### Detailed Description of the Invention

##### DETAILED DESCRIPTION OF THE INVENTION

**[0015]** ~~Figure Fig. 1~~ outlines one inter-relationship between a content provider 10, a content enabler 20, in this case the mobile phone manufacturer, and an end user 30. Also illustrated in ~~Figure Fig. 1~~ is an operator or distributor 40 to whom the manufacturer supplies the mobile phone, and through whom the end user is provided with a wireless communication service.

**[0016]** As indicated previously, electronic games software is one example of content for a mobile phone platform, and in the following example

reference will be made to games content, although the invention is in no way intended to be limited to games content.

**[0017]**\_\_\_\_\_The content provider is usually the party creating the content such as the design of a new electronic game that can be played on a mobile phone and this comprises the software for the original version of the game which sets out the look and feel of the game, for instance its characters, its objectives, its rules of operation. The original game typically contains in-game data which can be thought of as the games engine, in that it provides the instructions and routines for game play, for example by drawing on library functions that define how characters may interact during game play.

**[0018]**\_\_\_\_\_The content provider additionally creates adaptation data for the original game. Such adaptation data comprises new data for the inputting to the original game content in-game data for example different characters, replenishments of ammunition, etc. Adaptation data also comprises new in-game data that characterises new game play versions and variations, such as further levels, additional smart modes, etc. The adaptation data modifies the original game content to result in adapted games content. Each adapted games content has associated with it an identifier that identifies which adaptation data has been used in its construction.

**[0019]**\_\_\_\_\_Having designed and developed the original games content to a working model, the content provider (or an agent thereof) then makes an approach to a mobile phone manufacturer so as to enquire if the manufacturer is interested in putting the game on the manufacturer's phones.

**[0020]**\_\_\_\_\_In the alternative, it may be that the mobile phone manufacture has already commissioned the content provider to create and provide an electronic game.

**[0021]** ~~Whilst~~ While the mobile phone manufacturer may be interested in providing the game on its mobile phone, it may be reluctant to pay a per unit royalty based on phone sales since the original games content may be regarded as an incidental to the value of the phone. In certain embodiments of the invention, there may be a one-off payment to or from the content provider allowing the use of the game on a mobile phone. Alternatively, there may be no initial payment in respect of this content. In either case, the content provider also makes available to the manufacturer adaptation data.

**[0022]** The mobile phone manufacturer may embed the original games content onto the phone during manufacture, or ~~authorise~~ authorize downloading of the original games content onto the phone.

**[0023]** Referring to ~~Figure~~ Fig. 2, there is shown a server 21 onto which the mobile phone manufacturer loads the adaptation data, an end user's mobile phone 31 that is serviced by an operator network 41 and which contains the original games content. The adaptation data that is loaded and stored by the mobile phone manufacturer onto server 21 has a unique URL address. In this way, the adaptation data is available for downloading onto an end user's phone 31. Access to the server may be by methods known in the art via dial up numbers such as bulletin boards, and World-Wide-Web (WWW) addressing using URLs where the phone is WAP or iMODE enabled.

**[0024]** Access to the server is non standard in that the download of adaptation data is monitored and accounted. This may occur at the server or in the network. For example, at the server an account register records for each adaptation downloaded and provides for the accounting of the remuneration to the content provider. Alternatively, the operator may charge for access to the server for instance by use of a premium rate phone number to entry to a bulletin board, or by an monthly access charge to the server which may be divided equally between the parties or on a weighed a basis.

**[0025]** Turning to the end user, the end user buys a mobile phone 31 carrying the original games content, and is provided with a wireless communication service through the games operator network 41. The end user may begin playing the embedded game in either a stand-alone fashion or interactively with other user. After a number of plays of the game, the user will, in the majority of cases, become increasingly proficient at the game. After continued play, and depending on the skill and ability of the particular user, the end user will most probably master the game. At this stage, ordinarily the challenge of the game would fade and the user would lose interest in the game. However, by means of the preferred arrangement of the invention the user has the option to download from the mobile phone manufacturer's server 21 adaptation data so as to create a new and/or more difficult or different level. The end user accordingly requests the download of adaptation data from the server through the operator's network 41. If the request is approved, the server 21 downloads the adaptation data to the end user's phone 31. The server or the network includes some form of monitoring and accounting apparatus that monitors the volume of downloads it is performing. A more detailed description of this process is given below.

**[0026]** It is on the basis of the monitored level of downloads of new-in game data that the mobile phone manufacturer, using the accounting means, computes the payment to be made to the content provider. Such payment could take any number of forms, for instance it may be a straight per download royalty rate.

**[0027]** An illustration of a way by which content, for example games content, may be downloaded from a server onto a client terminal (such as a mobile phone) will now be given with reference to ~~Figures~~ Figs. 3 and 4.

**[0028]** Referring to ~~Figure-Fig.~~ 3, there is shown in greater detail an end user mobile phone terminal 31 which through the operator network having an operator server 42 accesses a mobile phone manufacturer's server 21 having a memory containing adaptation data (L1, L2, L3). ~~Figure-Fig.~~ 3 also shows an account register 50 which may be part of the operator server 42 or the mobile phone manufacturer's server 21.

**[0029]** An end user 30 that wishes to obtain adaptation data makes a request for the adaptation data through ~~his-the user's~~ mobile phone 31. The request may be a direct menu-driven option that the user clicks onto to send the request. The menu-driven option could be a direct link from the games menu option, which would save having to open for instance a browser application of the mobile phone. As another example, the games download option may appear automatically on the phone display at an appropriate point while a game is being played, such as for replenishments, or at the end of a game, for instance on successful completion of a particular level. The user in response decides whether or not to activate the download.

**[0030]** Thus a request is transmitted from the mobile phone for adaptation data. Typically, the request contains an identifier of the new adaptation data required for example by means of a tag indicating the latest version of the game currently stored or the user's mobile phone, that being either the original games content or the adapted games content.

**[0031]** The user's request is received first by the network operator at the operator server 42 having a gateway, this is indicated in ~~Figure-Fig.~~ 4 at block 100. Here a series of checks is carried out in relation to the request in an authentication process. As indicated at block 110 in ~~Figure-Fig.~~ 4, it is checked whether the user subscribes to the appropriate tariff to entitle him to have adaptation data downloaded to his mobile phone. Accordingly, the user's identity is checked along with ~~his-the user's~~ tariff subscription. If it is



determined that the user is on the appropriate tariff, the operator server forwards the request to the URL address identifying mobile phone manufacturer's server 21, as indicated at block 120.

**[0032]** If, on the other hand, the user is identified as not being a subscriber on the appropriate tariff to allow game downloads, flow passes to block 115 in which the operator server sends a message to the user denying him the request. At this juncture, the message may contain information informing the user of steps he may take to be taken in order to apply to subscribe to the correct tariff for obtaining adaptation data downloads.

**[0033]** Returning to the case where the network operator accepts the user and engages the manufacturer's server for the download, the request received at the server undergoes further authentication and identification at block 130, for instance to check for compatibility between the user and the game level requested on the basis of the level identifier tagged to the request.

**[0034]** Once accepted, the request is further processed in the server in a games download controller 22. The games download controller accesses the memory storage 23 holding the adaptation data using a memory address. From there the adaptation data is retrieved by the controller and placed in a buffer prior to transmission. Following appropriate checks the adaptation data software is transmitted according to block 150 to the operator server 42.

**[0035]** The operator server receives the adaptation data and verifies that it is the game version that has been requested. Following verification, the operator server downloads the adaptation data software to the requesting user's mobile phone as indicated at block 160.

**[0036]** On receipt of the adaptation data at the mobile phone, a message is displayed on the phone's LCD indicating that adaptation data has

arrived. The mobile phone's controller carries out a series of error checks to ensure that all the data has been faithfully received, if not then an error message is transmitted to the operator to re-send the adaptation data. If the error checks confirm complete error free receipt of the adaptation data the user may be afforded an opportunity to view the adaptation data in order to confirm that it is to ~~his~~ the user's approval. The user then uses the menu options to accept and save the adaptation data onto the phone as indicated at block 170. Storing the adaptation data into the mobile phone memory modifies the previously stored games data for instance by overwriting library data or aspects of in-game data to provide adapted content thereby avoiding taking up substantially extra memory space.

**[0037]**\_\_\_\_\_The operation of saving the new in-game data software on the phone causes a signal to be transmitted to the operator that the game has been saved in the phone. This acts as a confirmation of receipt and acceptance by the user as at block 180.

**[0038]**\_\_\_\_\_Such confirmation of receipt and acceptance is passed to an accounting system 50 which registers this acceptance, and then performs computations to determine the charge to be made to the user, as indicated at block 190. The charge to the user for the adaptation data may be a fixed flat rate fee or on the basis of airtime, or by some other measure. The operator in turn reimburses the mobile phone manufacturer. For example, the operator server accounting system may send a signal to the manufacturer's server that a download of adaptation data has been successfully executed. This signal is then registered in some form of counting means provided in the server. Alternatively, the server could be equipped with counting means that monitors the volume of downloads that the server is performing. The counting means could be linked at the server to an accounting system that on the basis of the level of successful downloads from the server computes the payment to be made to the content provider. In this way, the content provider generates

revenue for the original games content by receiving the payments for the downloads of adaptation data. Thus a substantial amount of the income of the games content taken as a whole is generated through remuneration from the adaptation data.

**[0039]**\_\_\_\_\_The present invention may be embodied in other specific forms without departing from its essential attributes. Reference should thus be made to the appended claims and other general statements herein rather than to the foregoing description as indicating the scope of invention.

**[0040]**\_\_\_\_\_For example, the user through a WAP browser on his phone may log on to the server through the network and navigate around the WAP site and make selections of adaptations for downloading from the site. In this arrangement, the user connects to a WAP server through the service provider into the WAP area where available content is located. The user is allowed to browse through the content before requesting the content the user desires. This may be effected through 'pull' techniques in which the user is in control of the whole process. In this arrangement the server monitors the downloads and calculates the payment to be made to the content provider.

**[0041]**\_\_\_\_\_In a different arrangement, each time the content provider develops a new adaptation for a game, this is stored on the mobile phone manufacturer's server and sent to the operator who then unilaterally transmits the new level using 'push' techniques to those user's the network is aware of as having the original software loaded on his/her phone. The user then in response either accepts or rejects the new level. When accepted, the new level in this case does not overwrite the existing level, but is stored in addition to the existing level. The user accepting the new level also accumulates on the accounting system of the operator.

**[0042]** Furthermore, each feature disclosed in this specification (which terms includes the claims) and/or shown in the drawings may be incorporated in the invention independently of other disclosed and/or illustrated features. In this regard, the invention includes any novel feature or combination of features disclosed herein either explicitly or any generalisation thereof irrespective of whether or not it relates to the claimed invention or mitigates any or all of the problems addressed.

**[0043]** The appended abstract is filed herewith is included in the specification by reference.

What is claimed is:

**APPARATUS AND METHODS FOR A CLIENT SERVER SYSTEM****ABSTRACT**

~~This invention relates to a~~ A system is disclosed for downloading new in-game data onto a handheld electronic device (31) having a transceiver, the system comprising: a server (41) for storing said new in-game data and for making said new in-game data available for downloading therefrom, said new in-game data being made available to a content enabler by a content provider, monitoring means for monitoring the downloading of said new in-game data from said server to provide at least one parameter indicative of the number of downloads of said new in-game data, accounting means for computing, responsive to said at least one parameter, a payment to be made whereby said first party remunerates said second party.

~~Figure 3~~